

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILIN	G DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/720,811	11/24/2003		Hosheng Tu	XEPMED-126	XEPMED-126 5365	
41648	7590	04/21/2005		EXAM	EXAMINER	
HOSHENO	3 TU		DEAK, L	DEAK, LESLIE R		
	BEACH, CA	92657-0116		ART UNIT	PAPER NUMBER	
				3762	3762	

DATE MAILED: 04/21/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

6	
•	_

U.S. Patent and Trademark Office PTOL-326 (Rev. 1-04)	Office Action S	ummary F	Part of Paper No./Mail Date 2005	50413
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing 3) Information Disclosure Statement(s) (PTO Paper No(s)/Mail Date 11/24/03. U.S. Patent and Trademark Office		4) Interview Summar Paper No(s)/Mail [5) Notice of Informal 6) Other:		
2.☐ Certified copies of the 3.☐ Copies of the certified	ne of: priority documents hav priority documents hav copies of the priority do ternational Bureau (PC	e been received. e been received in Applica ocuments have been receiv T Rule 17.2(a)).	tion No ved in this National Stage	
Priority under 35 U.S.C. § 119				
Application Papers 9) ☐ The specification is objected 10) ☑ The drawing(s) filed on 24 Not Applicant may not request that Replacement drawing sheet(s) 11) ☐ The oath or declaration is objected.	ovember 2003 is/are: a any objection to the drawing the correction is	ng(s) be held in abeyance. So required if the drawing(s) is o	ee 37 CFR 1.85(a). bjected to. See 37 CFR 1.12	
5) ☐ Claim(s) is/are allowe 6) ☑ Claim(s) <u>1-20</u> is/are rejected 7) ☐ Claim(s) is/are object 8) ☐ Claim(s) are subject t	ed to.	tion requirement.		
4) Claim(s) <u>1-20</u> is/are pending 4a) Of the above claim(s)	' '	m consideration.		
Disposition of Claims				
closed in accordance with th	e practice under <i>Ex par</i>	te Quayle, 1935 C.D. 11, 4	.53 O.G. 213.	
3) Since this application is in co	• —		osecution as to the merits	s is 👵
1)⊠ Responsive to communication2a)☐ This action is FINAL.	on(s) filed on <u>24 Novem</u> 2b)⊠ This actio	·		
Status				
A SHORTENED STATUTORY PE THE MAILING DATE OF THIS CO - Extensions of time may be available under the after SIX (6) MONTHS from the mailing date o - If the period for reply specified above is less th - If NO period for reply is specified above, the m - Failure to reply within the set or extended perion Any reply received by the Office later than thre earned patent term adjustment. See 37 CFR	MMUNICATION. provisions of 37 CFR 1.136(a). In f this communication. an thirty (30) days, a reply within aximum statutory period will apply d for reply will, by statute, cause e months after the mailing date of	n no event, however, may a reply be to the statutory minimum of thirty (30) day and will expire SIX (6) MONTHS fror the application to become ABANDON	imely filed ys will be considered timely. In the mailing date of this communication (1) (2) (3) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	ation.
The MAILING DATE of this of Period for Reply	communication appears	on the cover sheet with the	correspondence address -	
	-	ie R. Deak	3762	
Office Action Summ	201	720,811 miner	TU ET AL.	
		lication No.	Applicant(s)	

Application/Control Number: 10/720,811 Page 2

Art Unit: 3762

DETAILED ACTION

Notes on Claims

1. Applicant has used "means for" language in Claim 1, properly invoking 35 USC 112, sixth paragraph for examination of the claims. However, in order to qualify for interpretation under the 6th paragraph standard, the claims must not be modified by sufficient structure, material, or acts for achieving the specified function. Therefore, claims 2-7, since they recite structure, material, and/or acts for achieving the function, do not qualify for interpretation under 35 USC 112, paragraph six. See MPEP 2181.

Claim Rejections - 35 USC § 112

- The following is a quotation of the second paragraph of 35 U.S.C. 112:
 The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 3. Claim 5 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Claim 5 recites the limitation "the effective amount of radiation" in line 1. There is insufficient antecedent basis for this limitation in the claim.
- 4. Claims 17-19 are rejected under 35 U.S.C. 112, second paragraph, as being incomplete for omitting essential elements, such omission amounting to a gap between the elements. See MPEP § 2172.01. In particular, the claims depend on "the method of claim 11" when claim 11 references and depends on claims drawn to an apparatus. Examiner has examined the claims as depending from the apparatus referenced in claim 11.

Application/Control Number: 10/720,811 Page 3

Art Unit: 3762

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- Claims 1-6, 8-12, 14, and 16-20 are rejected under 35 U.S.C. 103(a) as being 6. unpatentable over US 4,737,140 to Lee et al in view of US 5,376,263 to Fischel. Lee discloses a system and method for obtaining blood from a patient—who may be suffering from an autoimmune disease—while adding an anticoagulant, separating a plasma component, treating the plasma with a photoactive agent, and using the photoactive agent to irradiate pathogens within the plasma, and returning the treated plasma and the other separated blood components to the patient (see column 3, lines 29-57). Lee uses a centrifuge as his means for separating patient whole blood into plasma and red cell portions. Fischel discloses that membrane filtration of blood, in lieu of a centrifuge, in order to preserve the cellular integrity and activity of the separated cells. His filter uses a moving membrane to contact the blood that flows through the filter compartment, allowing cellular matter to migrate through the semipermeable filter membrane into an outflow path. Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to use the filter mechanism disclosed by Fischel as the blood separator in the system disclosed by Lee in order to separate the

Art Unit: 3762

blood components while maintaining structural integrity of the blood cells, as taught by Fischel.

With regard to Claim 1, examiner has looked to the specification in order to determine the scope of applicant's "means for" withdrawing, separating, inactivating, and returning the fluids treated in the invention, as required by 35 USC 112, 6th paragraph. Examiner believes that the Fischel filter performs an equivalent function to the filter disclosed in the specification of the instant application, and has rejected the claims as provided by MPEP 2183.

With regard to applicant's claims 2-5, 8-10, and 17-19, regarding the specific compounds used with and treated by the apparatus, such a statement amounts to a recitation of the intended use of the device. It has been held that a recitation with respect to the manner in which a claimed apparatus is intended to be employed does not differentiate the claimed apparatus from a prior art apparatus satisfying the claimed structural limitations. See MPEP 2114.

With regard to claim 16, Lee discloses the claimed invention except for the amount of radiation used. It would have been obvious to one of ordinary skill in the art at the time the invention was made to use the amount of radiation claimed by applicant, since it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art. See MPEP 2144.05.

7. Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Lee in view of Fischel, further in view of US 2002/0043051 A1 to Manica et al. Lee and Fischel disclose the apparatus and method as claimed with the exception of using certain

Art Unit: 3762

compounds as photosensitizing agents. Manica discloses a bag for use in an irradiation procedure and discloses that riboflavin and vitamin K are preferred photosensitizers since they are not toxic to the patient blood, and don't require removal before reinfusion of the treated blood to the patient. Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to use Vitamin K and riboflavin as photosensitizing agents in order to prevent toxic reactions with the patient blood, as taught by Manica.

Allowable Subject Matter

8. Claims 7 and 13 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Conclusion

- 9. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:
 - a. US 2002/0095108 A1

Tsuchida et al

- i. Photoreduction device that acts on plasma
- b. US 6,219,584 B1

Lee

ii. System and method for separating blood, treating in a photoactivation device, and returning treated blood to patient

Page 6

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Leslie R. Deak whose telephone number is 571-272-4943. The examiner can normally be reached on M-F 7:30-5:00, every other Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Angela D. Sykes can be reached on 571-272-4955. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

ANGELA D. SYKES SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 3700

angel. D. Ahr